

English



TYRECONTROL 2
Bluetooth



alfano.com

TYRECONTROL 2

A1900 - A1910

Bluetooth: Android, iOS

Precision Pressure: 0.01 Bar - 0.15 PSI

Temperature accuracy: 0.1 ° C

Units of measurement: Bar / PSI - ° C / ° F

Maximum pressure: 7 Bar / 100 PSI

Backlight

Power supply: 2xAA battery

- Pack: - 1 tire t° sensor A1890 (Optional for A1900)
- 1 standard pressure connection (ST)
- 1 quick pressure connection (RA)
- 1 long rapid pressure connection (RA-L)



RA-L

RA

ST

TYRECONTROL 2


A1900 - A1910

1) Techniques

- Calibration of the automatic pressure at each start of the Tyrecontrol2
- Measure up to 3 temperatures on the tire surface
- Measure and adjust tire pressure
- Measures the temperature of the asphalt for each session
- Saves data and what time for each session
- Stores up to 495 data sets for 5 vehicles (5 × 99 sets)
 - 1 set = 2 sessions (before and after the race)
 - 1 session = maximum 12 temperature captures + 4 catches of pressure + 1 asphalt temperature capture

2) Bluetooth

Download and verify your data on a Smartphone or a Tablet thanks to our free Apps available on "Google Play" and "Apple Store". Our Apps can also generate CSV files and export them via Mails, Whatsapp, Airdrop, Dropbox, Bluetooth, etc.



Join us...




facebook

Alfano Laptimers



Instagram

Alfano Laptimers



Web site

alfano.com

ALFANO S.A.

Rue de l'Industrie, 3b
1400 Nivelles (Belgium)
info@alfano.com